

规格书编号

SPEC NO:

产品规格书 SPECIFICATION

CUSTOMER 客 户:_							
PRODUCT 产品:_	CERAMIC FILTER						
MODEL NO 型 号:_	LTWC455G						
PREPARED 编 制: _	LEO	LEO CHECKED 审 核: YORK					
APPROVED 批准:_	LIUMING	D A T E 日 期	l: 2012-3-6				
客户确认 CUSTOMER RECEIVED:							
审核 CHECKED	批准	APPROVED	日期 DATE				

无锡市好达电子有限公司 Shoulder Electronics Limited



更改历史记录 History Record

更改日期 Date	规格书编号 Spec No	产品型号 Part No	客户产品型号 Customer No	更改内容描述 Modify Content	备注 Remark



CERAMIC FILTER

1. THIS SPECIFICATION SHALL COVER THE CHARACTERISTICS OF CERAMIC FILTER WITH 455KHz.

2. PART NUMBER: LTWC455G

SPECIFICATION No.: QJ/A25 •07•0506

3. ELECTRONICAL SPECIFICATIONS

A. CENTRE FREQUENCY (f_{\circ}) : 455KHz \pm 1.0KHz.

B. BAND WIDTH AT 6 dB : ± 4.5 KHz MIN.(TO ± 455 KHz) C. BAND WIDTH AT 50 dB : ± 10 KHz MAX.(TO ± 455 KHz) D. STOP BAND ATTENUATION : ± 45 dB MIN.(AT f ± 100 KHz) E. RIPPLE : ± 2.0 dB MAX.(AT f ± 5.0 KHz)

F. INSERTION LOSS : 5.0 dB MAX (AT THE SMALLEST LOSS)

G. TEMPRATURE COEFFICIENT

OF CENTER FRENQUENCY : ± 50 PPM/°C Max.(-20 TO +80°C)

H. INPUT/OUTPUT IMPEDANCE : $2.0 \text{K} \Omega$

NOTE: A) CENTER FREQUENCY SHALL BE DEFIED AS THE CENTRAL

VALUE OF THE BAND WITH AT 6 dB


B) TEMPRATURE COEFFICIENT OF CENTER FREQUENCY SHALL BE DEFINED AS THE AVERAGE OF THE CENTRAL FREQUECY

4. MEASUREMENT

A. ENVIRONMENTAL CONDITION

MEASUREMENT SHALL BE CARRIED OUT AT THE REFERENCE TEMPERATURE OF $25\,^\circ\!\!\!\text{C}$ $\pm 2\,^\circ\!\!\!\text{C}$. IT SHALL BE POSSIBLY DONE AT $5\,^\circ\!\!\!\text{C}$ TO $35\,^\circ\!\!\!\text{C}$ UNLESS IT IS QUESTIONABLE.

B. MEASURING CIRCUIT



Rg+R1=R2=Input/Output Impedance

#S.S.G. (STANDARD SIGNAL GENERATION)
R.F.V.M. (RADIO FREQUENCY VOLTAGE METER)


 $Rg+R1=R2=2.0 K\Omega$

C<=50 PF



CERAMIC FILTER

5. DIMENSIONS(mm)



6. ENVIRONMENTAL CHARACTERISTICS

6-1 HIGH TEMPERATURE EXPOSURE

SUBJECT THE FILTER TO $+80\,^{\circ}$ C FOR 96 HOURS. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-2 MOISTURE

6-3 LOW TEMPERATURE EXPOSURE

SUBJECT THE FILTER TO -20°C FOR 96 HOURS. THEN RELEASE

THE FILTER INTO THE ROOM CONDITIONS FOR 2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-4 TEMPERATURE CYCLING

SUBJECT THE FILTER TO A LOW TEMPERATURE OF -20 $^{\circ}$ C FOR 30 MINUTES. FOLLOWSING BY A HIGH TEMPERATURE OF +85 $^{\circ}$ C FOR 30 MINUTES. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 2 HOURS PRIOR TO THE MESUREMENT. IT SHALL MEET THE SPECIFICATIONS IN TABLE 1.



CERAMIC FILTER

HOURS. THE FILTER SHALL MEET THE SPECIFICATIONS IN TABLE 1.

6-6 MECHANICAL SHOCK

DROP THE FILTER RANDOMLY ONTO THE CONCRETE FLOOR FROM THE HEIGHT OF 30cm 3 TIMES. THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-7 VIBRATION

SUBJECT THE FILTER TO THE VIBRATION FOR 1 HOUR EACH IN X,Y AND Z AXLES WITH THE AMPLITUDE OF 1.5 mm AT 10 TO 55 Hz. THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-8 LEAD FATIGUE

6-8-1 PULLING TEST

WEIGHT ALONG WITH THE DIRECTION OF LEAD WITHOUT AN SHOCK 1.5 KG. THE FILTER SHALL SATISFY ALL THE INITIAL CHARACTERISTICS.

6-8-2 BENDING TEST

LEAD SHALL BE SUBJECT TO WITHSTAND AGAINST 90° BENDING IN THE DERECTION OF THICKNESS. THIS OPERATION SHALL BE DONE TOWARD BOTH DIRECTION. THE FILTER SHALL SHOW NO EVIDENCE OF DAMAGE AND SHALL SATISFY ALL THE INITIAL ELECTRICAL CHARACTERISTICS.

TABLE 1

ITEM	SPECIFICATION	
CENTRE FREQUENCY(f。)	$455 \pm 1.0 \text{ KHz}$	
BAND WIDTH(6 dB)	\pm 4.5 KHz Min	
SELECTIVITY(50dB)	± 10 KHz Max	
STOP BAND ATTENUATION	45 dB Min	
RIPPLE	2.0 dB Max	
INSERTION LOSS	5.0 dB Max	